

## 3768 Elimination

Elimination of contestants from a live IQ contest on a TV channel is decided in phases.

Initially at phase 0,  $N$  contestants, where  $N = 2^n$ ,  $n < 10$ , are selected through a special online IQ contest in which a total of  $M$  ( $M > N$ ) contestants participate. The contestants are identified by distinct registration numbers  $1, 2, \dots, M$ . The selected contestants are ranked distinctly from 1 to  $N$  according to their performance in the online contest. They are qualified to participate in the live contest.

In the  $p$ -th phase,  $p = 1, 2, \dots, n$ ,  $K_p$  contestants participate in the live contest, where  $K_p = 2^{n-p+1}$ . On the basis of response to questions presented during the show,  $K_p/2$  of  $K_p$  contestants are ranked distinctly from 1 to  $K_p/2$ . These  $K_p/2$  contestants qualify to participate in the next phase. At the  $n$ -th phase there are only two contestants and the one selected at this phase is the winner of the contest.

You are required to write a program that identifies the winner of the contest, given the following information:

- INFO\_1: Registration numbers of  $N$  contestants who are selected through the online IQ contest, in order of the rank in the online IQ contest, and
- INFO\_2: A total of  $N - 1$  qualified contestants in different phases;  $K_2$  in phase 1,  $K_3$  in phase 2,  $\dots$ , and  $K_{n+1}$  in phase  $n$ . Qualified contestants of different phases appear in order of phases, i.e., phase 1, phase 2,  $\dots$ , phase  $n$ . Further, qualified contestants in a phase, say phase  $p$ , appear in the order of the rank in the phase, i.e., the rank in phase  $p$ . A qualified contestant of a phase, say phase  $p$ , is identified by his/her rank in the previous phase, i.e., in phase  $p - 1$ .

### Input

Input may contain multiple test cases. For each case there are two input lines.

The first line gives  $N$  integers representing INFO\_1 while the second line gives  $N - 1$  integers representing INFO\_2.

In each input line integers are separated by space. The input terminates with a line containing '0' as input.

### Output

For each test case there is only one output line. The line prints the registration number of the winner of the contest.

### Sample Input

```
23 18 6 20
4 2 2
29 57 4 33 5 12 16 18
7 1 5 3 2 1 1
0
```

### Sample Output

```
18
29
```