

6395 Surely You Congest

You are in charge of designing an advanced centralized traffic management system for smart cars. The goal is to use global information to instruct morning commuters, who must drive downtown from the suburbs, how best to get to the city center while avoiding traffic jams.

Unfortunately, since commuters know the city and are selfish, you cannot simply tell them to travel routes that take longer than normal (otherwise they will just ignore your directions). You can only convince them to change to different routes that are equally fast.

The city's network of roads consists of intersections that are connected by bidirectional roads of various travel times. Each commuter starts at some intersection, which may vary from commuter to commuter. All commuters end their journeys at the same place, which is downtown at intersection 1. If two commuters attempt to start travelling along the same road in the same direction at the same time, there will be congestion; you must avoid this. However, it is fine if two commuters pass through the same intersection simultaneously or if they take the same road starting at different times.

Determine the maximum number of commuters who can drive downtown without congestion, subject to all commuters starting their journeys at exactly the same time and without any of them taking a suboptimal route.




Figure C.1: Illustration of Sample Input 2.

In Figure C.1, cars are shown in their original locations. One car is already downtown. Of the cars at intersection 4, one can go along the dotted route through intersection 3, and another along the dashed route through intersection 2. But the remaining two cars cannot reach downtown while avoiding congestion. So a maximum of 3 cars can reach downtown with no congestion.

Input

The input consists several test cases. The first line contains three integers n , m , and c , where n ($1 \leq n \leq 25000$) is the number of intersections, m ($0 \leq m \leq 50000$) is the number of roads, and c ($0 \leq c \leq 1000$) is the number of commuters. Each of the next m lines contains three integers x_i , y_i , and t_i describing one road, where x_i and y_i ($1 \leq x_i, y_i \leq n$) are the distinct intersections the road connects, and t_i ($1 \leq t_i \leq 10000$) is the time it takes to travel along that road in either direction. You may

assume that downtown is reachable from every intersection. The last line contains c integers listing the starting intersections of the commuters.

Output

For each test case, display the maximum number of commuters who can reach downtown without congestion.

Sample Input

```
3 3 2
1 2 42
2 3 1
2 3 1
2 3
4 4 5
1 2 5
1 3 4
4 2 5
4 3 6
4 4 4 4 1
```

Sample Output

```
2
3
```